

Introduction to Computer Graphics with WebGL

Ed Angel

Professor Emeritus of Computer Science Founding Director, Arts, Research, Technology and Science Laboratory University of New Mexico



The University of New Mexico

# **Image Formation**

# Ed Angel Professor Emeritus of Computer Science, University of New Mexico

Angel and Shreiner: Interactive Computer Graphics 7E © Addison-Wesley 2015



### **Objectives**

- Fundamental imaging notions
- Physical basis for image formation
  - Light
  - Color
  - Perception
- Synthetic camera model
- Other models



#### **Image Formation**

- In computer graphics, we form images which are generally two dimensional using a process analogous to how images are formed by physical imaging systems
  - Cameras
  - Microscopes
  - Telescopes
  - Human visual system



# **Elements of Image Formation**

The University of New Mexico

- Objects
- Viewer
- Light source(s)



- Attributes that govern how light interacts with the materials in the scene
- Note the independence of the objects, the viewer, and the light source(s)





- *Light* is the part of the electromagnetic spectrum that causes a reaction in our visual systems
- Generally these are wavelengths in the range of about 350-750 nm (nanometers)
- Long wavelengths appear as reds and short wavelengths as blues



# Ray Tracing and Geometric Optics

One way to form an image is to follow rays of light from a point source finding which rays enter the lens of the camera. However, each ray of light may have multiple interactions with objects before being absorbed or going to infinity.



- Luminance Image
  - Monochromatic
  - Values are gray levels
  - Analogous to working with black and white film or television
- Color Image
  - Has perceptional attributes of hue, saturation, and lightness
  - Do we have to match every frequency in visible spectrum? No!



## **Three-Color Theory**

- Human visual system has two types of sensors
  - Rods: monochromatic, night vision
  - Cones
    - Color sensitive
    - Three types of cones
    - Only three values (the *tristimulus* values) are sent to the brain



- Need only match these three values
  - Need only three *primary* colors



#### **Shadow Mask CRT**

The University of New Mexico





- Additive color
  - Form a color by adding amounts of three primaries
    - CRTs, projection systems, positive film
  - Primaries are Red (R), Green (G), Blue (B)
- Subtractive color
  - Form a color by filtering white light with cyan (C), Magenta (M), and Yellow (Y) filters
    - Light-material interactions
    - Printing
    - Negative film



**Pinhole Camera** 

The University of New Mexico



Use trigonometry to find projection of point at (x,y,z)

$$x_p = -x/z/d$$
  $y_p = -y/z/d$   $z_p = d$ 

#### These are equations of simple perspective

Angel and Shreiner: Interactive Computer Graphics 7E © Addison-Wesley 2015



#### **Synthetic Camera Model**

The University of New Mexico





#### **Advantages**

- Separation of objects, viewer, light sources
- Two-dimensional graphics is a special case of three-dimensional graphics
- Leads to simple software API
  - Specify objects, lights, camera, attributes
  - Let implementation determine image
- Leads to fast hardware implementation



- Cannot compute color or shade of each object independently
  - Some objects are blocked from light
  - Light can reflect from object to object
  - Some objects might be translucent



Angel and Shreiner: Interactive Computer Graphics 7E © Addison-Wesley 2015



# Why not ray tracing?

- Ray tracing seems more physically based so why don't we use it to design a graphics system?
- Possible and is actually simple for simple objects such as polygons and quadrics with simple point sources
- In principle, can produce global lighting effects such as shadows and multiple reflections but ray tracing is slow and not well-suited for interactive applications
- Ray tracing with GPUs is close to real time