

IMGD 3000 - Technical Game Development I: Object-Oriented Development

by Robert W. Lindeman gogo@wpi.edu

WPI

Design Patterns

- ■The Interface
- ■The Singleton
- ■Object Factory

R.W. Lindeman - WPI Dept. of Computer Science Interactive Media & Game Development

2



The Interface

- □ In Java, we can specify a contract for a given class using interfaces
- C++ has no formal concept of this
- ■We can implement them using a class with:
 - No data members
 - All purely virtual functions
- ■Example from C4
 - Colliders

R.W. Lindeman - WPI Dept. of Computer Science Interactive Media & Game Development 3



The Singleton

- □ Sometimes we only want a single instance to exist for a given object
 - Game
 - Audio manager
 - Game-asset data manager
 - Different interface elements
- We can do this in C++ using a class with static member
- □ Examples from C4
 - TheWorld, TheGame, TheAudioManager
- □ Can be done generically using templates

R.W. Lindeman - WPI Dept. of Computer Science Interactive Media & Game Development

4



Object Factories

- □There are many types of objects that are similar
- ☐ We don't know at compile time what they are
- □Save and load should remain flexible
- □ How can we efficiently access them?
- □Object Factories allow us to solve this type of problem
- □ Takes advantage of *polymorphism*

R.W. Lindeman - WPI Dept. of Computer Science Interactive Media & Game Development 5