



CS 543 - Computer Graphics: Ray Tracing Detail, Part 2

by
Robert W. Lindeman
gogo@wpi.edu
(with help from Emmanuel Agu ;-)



Where are we?

Define the objects and light sources in the scene

Set up the camera

```
for(int r = 0; r < nRows; r+= blockSize){  
  for(int c = 0; c < nCols; c+= blockSize){  
    1. Build the rc-th ray  
    2. Find all object intersections with rc-th ray  
    3. Identify closest object intersection  
    4. Compute the "hit point" where the ray hits the  
       object, and normal vector at that point  
    5. Find color (clr) of light to eye along ray  
    glColor3f(clr.red, clr.green, clr.blue);  
    glRecti(c, r, c + blockSize, r + blockSize);  
  }  
}
```

Find Object Intersections with rc-th Ray



- Much of work in ray tracing lies in finding intersections with generic objects
- Break into two parts
 - Deal with untransformed, generic (dimension 1) shape
 - Then embellish to deal with transformed shape
- Ray generic object intersection best found by using implicit form of each shape. Like we talked about last time, generic sphere is

$$F(x, y, z) = x^2 + y^2 + z^2 - 1$$

- Approach: ray $r(t)$ hits a surface when its implicit eqn = 0
- So for ray with starting point S and direction \mathbf{c}

$$r(t) = S + \mathbf{c}t$$

$$F(S + \mathbf{c}t_{hit}) = 0$$

Ray Intersection with Generic Plane



- Generic Plane?
- Yes! Floors, walls, in a room, etc.
- Generic plane is xy-plane, or $z = 0$
- For ray

$$r(t) = S + \mathbf{c}t$$

- There exists a t_{hit} such that

$$S_z + \mathbf{c}_z t_h = 0$$

- Solving,

$$t_{hit} = -\frac{S_z}{c_z}$$

Ray Intersection with Generic Plane

- Hit point P_{hit} is given by

$$P_{hit} = S - \mathbf{c}(S_z / c_z)$$

- Numerical example?

- Where does the ray

$$r(t) = (4, 1, 3) + (-3, -5, -3)t$$

hit the generic plane?

- Solution: $t_{hit} = -\frac{S_z}{c_z} = \frac{3}{3} = 1$

- And hit point is given by $S + \mathbf{c} = (1, -4, 0)$

Dealing with transformed Objects

- For example if we have the following SDL commands in our file

```
translate 2 4 9
```

```
scale 1 4 4
```

```
sphere
```

- The transform matrices are

- see example 12.4.3, pg 621

$$M = \begin{pmatrix} 1 & 0 & 0 & 2 \\ 0 & 4 & 0 & 4 \\ 0 & 0 & 4 & 9 \\ 0 & 0 & 0 & 1 \end{pmatrix}$$

$$M^{-1} = \begin{pmatrix} 1 & 0 & 0 & -2 \\ 0 & \frac{1}{4} & 0 & -4 \\ 0 & 0 & \frac{1}{4} & -\frac{9}{4} \\ 0 & 0 & 0 & 1 \end{pmatrix}$$

Organizing a Ray Tracer

- ❑ Need data structures to store ray, scene, camera, etc.
- ❑ There are many ways to organize ray tracer
- ❑ Previously in C, declare **struct**
- ❑ These days, object-oriented religion?
- ❑ SDL generates scene file
- ❑ Use camera class (slide, roll, etc.)
- ❑ Now just add a **raytrace** method to camera class

```
void Camera::raytrace( Scene& scn, int blockSize );
```

Organizing a Ray Tracer

- ❑ Call camera raytrace method from display (redisplay) function

```
void display(void){  
    glClear( GL_COLOR_BUFFER_BIT ); // clear the screen  
    cam.raytrace( scn, blockSize );  
}
```

- ❑ Thus, ray tracer fires up and starts scanning pixel by pixel (or block by block) till entire screen is ray traced
- ❑ Can insert previous **drawOpenGL** function before raytrace to give scene preview
- ❑ Subtlety: drawOpenGL uses OpenGL 3D pipeline, raytrace uses 2D pipeline, so do pipeline set up inside each method

Organizing a Ray Tracer

- Need Ray class with start, direction variables, and methods to set them

```
class Ray {
public:
    Point3 start;
    Vector3 dir;
    void setStart(Point3& p){start.x = p.x; etc...}
    void setDir(Vector3& v){dir.x = v.x; etc...}
    // other fields and methods
};
```

- We can now develop a basic `raytrace()` skeleton function

Camera raytrace() skeleton

```
void Camera::raytrace( Scene& scn, int blockSize ) {
    Ray theRay;
    Color3 clr;
    theRay.setStart( eye );
    // set up OpenGL for simple 2D drawing
    glMatrixMode( GL_MODELVIEW );
    glLoadIdentity( );
    glMatrixMode( GL_PROJECTION );
    glLoadIdentity( );
    gluOrtho2D( 0, nCols, 0, nRows ); // whole screen is window
    glDisable( GL_LIGHTING );

    //begin ray tracing
```

Camera raytrace() skeleton

```

for( int row = 0; row < nRows; rows += blockSize ) {
    for( int col = 0; col < nCols; cols += blockSize ) {
        compute ray direction;
        theRay.setDir( <direction> ); //set the ray's direction
        clr.set( scn.shade( theRay ) ); // find the color
        glColor3f( clr.red, clr.green, clr.blue );
        glRecti( col, row, col + blockSize, row + blockSize );
    }
}
}

```

- `shade()` function does most of ray tracing work

shade() skeleton

```

Color3 Scene::shade( Ray& ray ) { // return color of this ray
    Color3 color; // total color to be returned
    Intersection best; // data for best hit so far
    getFirstHit( ray, best ); // fill "best" record
    if( best.numHits == 0 ) { // did ray miss all objects?
        return background;
    }
    color.set( the emissive color of object );
    color.add( ambient, diffuse and specular ); // add contrib.
    color.add( reflected and refracted components );
    return color;
}

```

- `getFirstHit` function returns first object hit by ray
- `Intersection` class used to store each object's hit information

shade() skeleton

- Intersection class used to store each object's hit information

```
class Intersection {
public:
    int numHits;    // # of hits at positive hit times
    HitInfo hit[8]; //list of hits - may need more than 8 later
    ... various hit methods
}
```

- hitInfo stores actual hit information for each hit
- For simple convex objects (e.g., sphere) at most 2 hits
- For torus up to 4 hits
- For boolean objects, all shapes possible so no limit to number of hits

HitInfo() class

```
class HitInfo {
public:
    double hitTime;    // the hit time
    GeomObj* hitObject; // the object hit
    bool isEntering;    // is the ray entering or exiting
    int surface;        // which surface is hit?
    Point3 hitPoint;    // hit point
    Vector3 hitNormal;  // normal at hit point
    ... various hit methods
}
```

- Surface applies if it is convenient to think of object as multiple surfaces, e.g., cylinder cap, base and side are 3 different surfaces

getFirstHit() method

```
void Scene::getFirstHit( Ray& ray, Intersection& best ) {
    Intersection inter; // make intersection record
    best.numHits = 0; // no hits yet

    for( GeomObj* pObj = obj; pObj != NULL; pObj = pObj->next ) {
        // test each object in the scene
        if( !pObj->hit( ray, inter ) ) { // does the ray hit pObj?
            continue; // miss: test the next object
        }
        if( ( best.numHits == 0 ) || // best has no hits yet
            ( inter.hit[0].hitTime < best.hit[0].hitTime ) ) {
            best.set( inter ); //copy inter into best
        }
    }
}
```

- Sphere, cube, plane ... are all derived from base GeomObj class

getFirstHit() method

- Polymorphism:
 - Hit called in `getFirstHit()` is a virtual function
- Hit is implemented differently for each object based on its implicit equations
- So, sphere, cylinder, cube ... all have their `hit()` functions
- Much of raytracing work lies in writing these `hit()` functions
- Next, `hit()` function for sphere

References

- Hill, chapter 12