

Homework #6

Directions: Please list any people or URL's consulted

#1.

- a) If $0^i 1^i$ is accepted by an NPDA, it is accepted by a DPDA True False
- b) If $0^i 1^i$ is accepted by an NFA, it is accepted by a DFA True False
- c) NPDA's can accept more languages than DPDA's True False
- d) If a PDA accepts by final state, then it accepts by empty stack True False
- e) If L is accepted by a dfa M , then it is accepted by a PDA, N True False

#2. Given the PDA $P = (\{q, p\}, \{0, 1\}, \{\perp, X\}, \delta, q, \perp, \{p\})$
with the following transition functions:

- 1. $\delta(q, 0, \perp) = \{(q, X\perp)\}$
- 2. $\delta(q, 0, X) = \{(q, XX)\}$
- 3. $\delta(q, 1, X) = \{(q, X)\}$
- 4. $\delta(q, \epsilon, X) = \{(p, \epsilon)\}$
- 5. $\delta(p, \epsilon, X) = \{(p, \epsilon)\}$
- 6. $\delta(p, 1, X) = \{(p, XX)\}$
- 7. $\delta(p, 1, \perp) = \{(p, \epsilon)\}$

a) Show all reachable configurations when

a) $w = 01$

b) $w = 010$

c) Also describe $L(M)$

#3. Design a PDA to accept the set of all strings of 0's and 1's with an equal number of 0's and 1's. Show an example accepting a string and an example rejecting a string.

#4. a) Convert the grammar, $S \rightarrow 0 S 0 \mid 1 S 1 \mid \epsilon$ to an equivalent NPDA. Show your NPDA accepting $0 1 1 0$ and rejecting $0 1 1$.

#5. Convert your NPDA from #4 back to a CFG. Show your grammar generating $0 1 1 0$ and not generating $0 1 1$.

#6 This time you can post your applications of

- a) PDA's
- b) NPDA's

(Post to the Module 6 postings)