

Introduction



Network Definitions and Classification

- Preliminary definitions and network terminology
- Sample application paradigms
- Classifying networks by transmission technology
- Classifying networks by size (or scale)
- Classifying networks by topology

Preliminary Definitions

computer network :: [Tanenbaum] a collection of “autonomous” computers interconnected by a single technology.

[LG&W] *communications network* :: a set of equipment and facilities that provide a service.

[PD] {low level definition} A network can consist of two or more computers directly connected by some physical medium such as coaxial cable or an optical fiber.

Wireless connectivity needs to be included in this definition.


Network Building Blocks

- Nodes and Hosts: computers, routers, switches
- Links: coaxial cable, optical fiber, wireless communication

– point-to-point



– multiple access



P&D slide

Preliminary Definitions

In a distributed system the collection of independent computers appears to its users as a single coherent system.

Namely, the distinctions lie in the transparency in assigning tasks to computers.

Switched Networks




Figure 1.3

P&D slide

internet




Figure 1.4 Interconnection of networks

P&D slide


Network

P&D recursive definition::

- i. two or more nodes connected by a link.

or

- ii. two or more networks connected by a node {an internet}.



Sample Application Paradigms

Client-Server Applications




Figure 1.1 A network with two clients and one server.

Tanenbaum slide

Client-Server Model




Figure 1-2. The client-server model involves requests and replies.

Tanenbaum slide

Peer-to-Peer Applications




Figure 1.3 In a peer-to-peer system there are no fixed clients and servers.

Tanenbaum slide

Mobile Network Users

Wireless	Mobile	Applications
No	No	Desktop computers in offices
No	Yes	A notebook computer used in a hotel room
Yes	No	Networks in older, unwired buildings
Yes	Yes	Portable office; PDA for store inventory

Figure 1-5. Combinations of wireless networks and mobile computing.

Tanenbaum slide

Classifying Networks by Transmission Technology

broadcast :: a single communications channel shared by all machines (addresses) on the network.

Broadcast can be either a logical or a physical concept (e.g. Media Access Control (MAC) sublayer) .

multicast :: communications to a specified group.

This requires a group address (e.g. – multimedia multicast).

point-to-point :: connections are made via *links* between pairs of nodes.

Network Classification by Size

Interprocessor distance	Processors located in same	Example
1 m	Square meter	Personal area network
10 m	Room	
100 m	Building	
1 km	Campus	Local area network
10 km	City	
100 km	Country	Metropolitan area network
1000 km	Continent	
10,000 km	Planet	Wide area network
		The Internet


Figure 1-6. Classification of interconnected processors by scale.

Tanenbaum slide


Network Classification by Size

- LANs {Local Area Networks}
 - Wired LANs: typically physically broadcast at the MAC layer (e.g., Ethernet, Token Ring)
 - Wireless LANs
- MANs {Metropolitan Area Networks}
 - campus networks connecting LANs logically or physically.
 - often have a backbone (e.g., FDDI and ATM)

Wired LANs



Ethernet bus



Ethernet hub

Wireless LANs




Figure 1-35. (a) Wireless networking with a base station. (b) Ad hoc networking.

Tanenbaum slide

Metropolitan Area Networks





Figure 1-8. A metropolitan area network based on cable TV.


Tanenbaum slide

MAN



Metropolitan network **A** consists of access subnetworks a, b, c, d.

Hierarchical Network Topology




National network consists of regional subnetworks α , β , γ .

Metropolitan network **A** is part of regional subnetwork α .

Copyright ©2000 The McGraw Hill Companies

Network Classification by Size

- WANs {Wide Area Networks}
 - ARPANET → Internet
 - usually hierarchical with a backbone.
 - Enterprise Networks, Autonomous Systems (ASs)
 - VPNs (Virtual Private Networks).



ARPAnet circa 1972
a point-to-point network

Copyright ©2000 The McGraw Hill Companies

Leon-Garcia & Widjaja:
Communication Networks

Figure 1.16

Wide Area Networks (WANs)





Figure 1-10. A stream of packets from sender to receiver.

Tanenbaum slide



internet - a network of networks

Copyright ©2000
The McGraw Hill Companies


Leon-Garcia & Widjaja:
Communication Networks

Figure 1.18



Network Classification by Topology



Bus



*Bidirectional flow
assumes baseband cable*


Network Classification by Topology

Ring




Note - a ring implies unidirectional flow

Network Classification by Topology




Network Classification by Topology

Star



Network Classification by Topology

Star



Wireless Infrastructure